


SECTION 1: Product and Company Information

Product Identifier	XTC
Chemical Name	Diatomaceous Earth, Flux-Calcined
Chemical Family	Silica
Material Use	Filter Aid
Restriction On Use	None Known
Supplier	ANKOM Technology Corp., 2052 O'Neil Road, Macedon, NY 14502
Telephone No.	(315) 986-8090 8am – 4pm EST
Emergency Telephone No.	(315) 986-3857 8am – 4pm EST
SDS Date Of Preparation	May 29, 2015

SECTION 2: Hazards Identification

OSHA GHS Hazard Classification	Carcinogen Category 1A Specific Target Organ Toxicity, Repeated Exposure Category 1	
Hazards Not Otherwise Classified	None	
Label Elements	<p>DANGER</p> <p>May cause cancer by inhalation.</p> <p>Causes damage to lungs through prolonged or repeated exposure.</p> <p>Obtain special instructions before use.</p> <p>Do not handle until all safety precautions have been read and understood.</p> <p>Do not breathe dust.</p> <p>Wear eye protection.</p> <p>If exposed or concerned, get medical advice.</p> <p>Dispose of contents in accordance with local, state, and federal regulations.</p>	

SECTION 3: Composition / Information On Ingredients

Ingredient Identification	Approximate Concentration (%)	C.A.S Numbers
Diatomaceous Eart, Flux-Calcined (kieselguhr) (contains 35-50% Crystalline Silica - Cristobalite)	100%	68855-54-9 14464-46-1

SECTION 4: First Aid Measures

Eye	Flush eyes with generous amounts of water or eye rinse solution. Consult a physician if irritation persists.
Skin	Use moisture renewing lotions if dryness occurs.
Ingestion	Drink generous amounts of water to reduce bulk and drying effects.
Inhalation	Remove to fresh air. Blow nose to evacuate dust.
Most important symptoms/effects, acute and delayed	Dust may cause abrasive irritation to eyes. Prolonged skin contact may cause dryness. Dust may cause nose, throat, and upper respiratory tract irritation. Prolonged inhalation of respirable dust containing silica may cause a progressive lung disease, silicosis, and lung cancer. See section 11 for additional information.
Indication of immediate medical attention and special treatment, if needed	Immediate medical attention is not normally required. If dust irritates the eyes, seek medical attention.

SECTION 5: Fire Fighting Measures

Extinguishing Media	Not applicable. The material is not combustible.
Specific Hazards arising from the chemical	Not applicable. The material is not combustible.
Special Protective Equip and Precautions for Fire Fighters	Not applicable. The material is not combustible.

SECTION 6: Accidental Release Measures

Personal Precautions	If dust is present, use respirator fitted with particulate filter as specified in Section 8. Protect eyes with goggles. Do not breathe dust.
Environmental Precautions	This material is not a significant environmental concern.
Methods and Materials for Containment and Clean-up	Vacuum clean or wet sweep spillage. Avoid creating airborne dust. Place in a container for use or disposal.

SECTION 7: Handling and Storage

Precautions for Safe Handling	Minimize dust generation. Avoid contact with eyes. Do not breathe dust. Repair or dispose of broken bags. Observe all label precautions and warnings.
Conditions for Safe Storage	Store in a dry place to maintain packaging integrity and product quality. Do not store near hydrofluoric acid or concentrated caustic solutions.

SECTION 8: Exposure Controls / Personal Protection

Exposure Guidelines:				
Component	OSHA PEL	ACGIH TLV	MSHA PEL	NIOSH PEL
Diatomaceous Eart, Flux-Calcined (kieselguhr)	Respirable dust: 5 mg/m ³ Total dust: 15 mg/m ³	None established	Respirable dust: 5 mg/m ³ Total dust: 15 mg/m ³	None established
Crystalline Silica (Cristobalite)	Respirable dust: 0.5 x $\frac{10 \text{ mg/m}^3}{\% \text{ SiO}_2+2}$ Total dust: 0.5 x $\frac{30 \text{ mg/m}^3}{\% \text{ SiO}_2+2}$	Respirable dust: 0.025 mg/m ³	Respirable dust: 0.5 x $\frac{10 \text{ mg/m}^3}{\% \text{ SiO}_2+2}$ Total dust: 0.5 x $\frac{30 \text{ mg/m}^3}{\% \text{ SiO}_2+2}$	Respirable dust: 0.05 mg/m ³
Engineering Controls	Use general or local exhaust ventilation to control dust within recommended exposure limits. Refer to ACGIH publication "Industrial Ventilation" or similar publications for design of ventilation systems.			
Personal Protective Equipment:				
Eye / Face Protection	Use goggles to protect from dust.			
Skin Protection	No special equipment is needed.			
Respiratory Protection	Respirators fitted with filters certified to standard 42CFR84 under series N95 should be worn when dust is present. If the dust concentration is less than ten (10) times the permissible Exposure Limit (PEL) use a quarter-mask or half-mask respirator with a N95 dust filter or a single use dust mask rated N95. If dust concentration is greater than ten (10) times and less than fifty (50) times the PEL, a full-face piece respirator fitted with replaceable N95 filters is recommended. If dust concentration is greater than fifty (50) and less than two hundred (200) times the PEL, use a positive pressure power air-purifying respirator with a replaceable N95 filter. If dust concentration is greater than two hundred (200) times the PEL, use a type C supplied air respirator (continuous flow, positive pressure), with full-face piece, hood, or helmet.			
General Hygiene	Avoid breathing dust. Avoid contact with eyes. Wash hands after handling and before eating or drinking.			

SECTION 9: Physical and Chemical Properties

Appearance, Color	Light pink to white powder	Odor Threshold	Not applicable
Physical State	Solid	Vapor Density	Not applicable
Vapor Pressure	Not applicable	Melting Point	> 1300°C
Boiling Point	Not applicable	pH (10% Suspension)	10
Flash Point	Not applicable	Evaporation Rate	Not applicable
Flammability Limits	Not applicable	Spec. Gravity / Relative Density	2.3
Decomposition Temperature	> 1300°C	Partition Coefficient - n-Octanol/Water	Not applicable
Autoignition Temperature	Not applicable	Solubility - Water	< 1%
Flammability (solid/gas)	Not applicable	Viscosity	Not applicable
Odor	Odorless		

SECTION 10: Stability and Reactivity

Reactivity	Material is not reactive.
Chemical Stability	Material is stable.
Possibility of Hazardous Reactions	Material is not reactive under normal conditions of handling unless mixed with incompatible substances listed below.
Conditions to Avoid	Not applicable.
Incompatible Materials	Hydrofluoric acid and concentrated caustic solutions may react violently with the product.
Hazardous Decomposition Products	Not applicable.

SECTION 11: Toxicological Information

Potential Health Effects:	
Likely Routes of Exposure	See below.
Eye	May cause irritation (tear formation and redness) if dust gets in eyes.
Skin	Not absorbed by the skin, but may cause dryness if prolonged exposure.
Ingestion	Ingestion of small quantities is not considered harmful, but may cause irritation of the mouth, throat, and stomach.
Inhalation	Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Acute inhalation of high concentrations of respirable crystalline silica may cause acute silicosis.
Chronic Effects	This product contains crystalline silica. Respirable crystalline silica may cause lung cancer and lung disease (silicosis) if inhaled for prolonged periods. Symptoms of silicosis include wheezing, cough, and shortness of breath.
Carcinogenicity	Flux-calcined diatomaceous earth (Kieselguhr) is composed of amorphous and crystalline silica. Respirable crystalline silica (cristobalite) is classified by IARC and NTP as a known human carcinogen. Crystalline silica is only known to cause cancer when inhaled in a respirable form. It is not known to cause cancer by any other route of exposure.
NTP	Respirable crystalline silica (cristobalite) is classified as a known human carcinogen.
IARC	Respirable crystalline silica (cristobalite) is classified as a known human carcinogen.
Numerical Measures of Toxicity	No data available.
Corrosiveness, Sensitization, Irritancy	Not applicable.
Reproductive Toxicity	No data available.
Teratogenicity, Mutagenicity	No data available.

SECTION 12: Ecological Information

Ecotoxicity	Diatomaceous earth products have shown some efficacy as a natural insecticide, but otherwise have no demonstrated toxicity in regards to aquatic or terrestrial life.
Persistence and Degradability	Non-biodegradable, inert.
Bioaccumulative Potential	Little potential for bioaccumulation.
Mobility in Soil	No mobility.
Other Adverse Effects	None known.

SECTION 13: Disposal Considerations

Waste Disposal	If this material as supplied becomes a waste, use solid waste disposal common to landfill type operations or in slurry to sumps. Not considered a hazardous waste under RCRA (40CFR Part 261).
Packaging Disposal	Dispose of in accordance with applicable laws and regulations, typically solid waste disposal common to landfill type operations.




SECTION 14: Transport Information

Basic Shipping Information	DOT shipping classification 55 (no restrictions). Technical name is "Diatomaceous Earth."
Additional Information	No special requirements or placarding necessary.

SECTION 15: Regulatory Information

U.S. Federal:	
TSCA	Diatomaceous Earth and Cristobalite appear on the EPA TSCA inventory list.
CERCLA	Diatomaceous Earth is not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR 302.
SARA TITLE III	Not listed.
California Proposition 65:	This product contains crystalline silica, a chemical known to the State of California to cause cancer.
International:	
WHMIS Classification	Class D-2-A
WHMIS Ingredient Disclosure List	Silica, crystalline, cristobalite

SECTION 16: Other Information

	<table border="1"> <tr> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">NFPA</td> <td>  </td> <td> 4-Extreme 3-High 2-Moderate 1-Slight 0-Insignificant </td> </tr> </table>	NFPA		4-Extreme 3-High 2-Moderate 1-Slight 0-Insignificant	<table border="1"> <tr> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">HMIS</td> <td> 0* Health 0 Flammability 0 Reactivity E Protective Equipment </td> </tr> </table>	HMIS	0* Health 0 Flammability 0 Reactivity E Protective Equipment
NFPA		4-Extreme 3-High 2-Moderate 1-Slight 0-Insignificant					
HMIS	0* Health 0 Flammability 0 Reactivity E Protective Equipment						
Original Issue Date	November 18, 1985						
Revision Date	May 29, 2015						
Revision No.	12						

Disclaimer: The information contained in this Safety Data Sheet, as of the issue date, is believed to be true and correct. However, the accuracy or completeness of this information and any recommendations or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of the company, it is the responsibility of the user to determine the conditions of safe use of this product. The information does not represent analytical specifications.